

Angle grinder

## GWS 10-125 Z Professional



### Advantages: GWS 10-125 Z Professional

#### Compact tool with safety switch

- Safety switch for immediate shutdown when the user lets go of the machine
- Powerful 1000 W Champion motor
- Anti-rotation protective guard – quickly and easily adjustable, provides reliable protection
- Good handling thanks to slim housing
- Vibration Control auxiliary handle with 40% vibration reduction for low-fatigue working (EN 60745)
- Gear head can be rotated in 90° steps
- Handle can be used on right or left

### Technical data: GWS 10-125 Z Professional

<b>Rated power input</b>	<b>1.000 W</b>
<b>No-load speed</b>	11.000 rpm
<b>Power output</b>	630 W
<b>Grinding spindle thread</b>	M 14
<b>Disc diameter</b>	125 mm
<b>Rubber sanding plate, diameter</b>	125 mm
<b>Wire cup brush, diameter</b>	75 mm
<b>Weight</b>	2,1 kg

### Functions

- Champion motor
- Anti-rotation protective guard

### Noise/vibration information

Measured values determined according to EN 60745  
Total vibration values (vector sum of three directions)

<b>Sanding with sanding sheet</b>	
<b>Vibration emission value ah</b>	3.0 m/s <sup>2</sup>
<b>Uncertainty K</b>	1.5 m/s <sup>2</sup>
<b>Surface grinding (roughing)</b>	
<b>Vibration emission value ah</b>	5.5 m/s <sup>2</sup>
<b>Uncertainty K</b>	1.5 m/s <sup>2</sup>

The A-rated noise level of the power tool is typically as follows: Sound pressure level 87 dB(A); Sound power level 98 dB(A). Uncertainty K= 3 dB.