


KAG600-100

100MM ANGLE GRINDER
Power 710W
Grinding disc dia Ø100mm
No-load speed 11000rpm

KAG800-100

100MM ANGLE GRINDER
Power 800W
Grinding disc dia Ø100mm
No-load speed 11000rpm


KAG10-100

100MM ANGLE GRINDER
Power 1000W
Grinding disc dia Ø100mm
No-load speed 11000rpm


KAG18-5

125MM ANGLE GRINDER
Power 1800W
Grinding disc dia Ø125mm
No-load speed 3000-11000rpm


KSPG8

ELECTRIC SPRAY GUN
Power 700W
Max.Flow 180ml/min
Capacity 800ml
Max.Viscosity 60din/sec
No-load Speed 32000rpm
Plastic Nozzle 2.5mm

KRH2-32HD

32MM ROTARY HAMMER
Power 1100W
Max drilling capacity 32MM
No-load speed 880rpm
Impact rate 4500bpm
Impact energy per stroke 5.5J


KPT14DH

45J DEMOLITION HAMMER
Power 1700W
Impact rate 2100bpm
Impact energy per stroke 45J


KPL82N

ELECTRIC PLANER
Power 570W
Cutting width 82mm
Cutting depth 1mm
No-load speed 15000rpm


KIW21V

BRUSHLESS IMPACT WRENCH KIT
Battery 21V / Li-Ion 4.0Ah
No load speed 0-2200r/min
Impact rate 0-2500bpm
Max. Torque 380N.m


KCS14DH

355MM CUT-OFF SAW
Power 2400W
Max wheel dia. Ø355mm
No-load speed 4000rpm


KCO9L

9L AIR COMPRESSOR
Power 1100W
No-load speed 2680rpm
Air delivery 0.11m³
Max pressure 8bar
Tank capacity 9L


KRT12IN

12MM ELECTRIC ROUTER
Power 1600W
No-load speed 23000rpm
Slotting depth 0-60mm
Chuck diameter 12mm


KCS

125MM MARBLE CUTTER
Power 1350W
Max. Wheel dia. 125mm
Max. Cutting depth 34mm
No-load speed 12000rpm


KBC35N

35MM BROACH CUTTER
Power 1100W
Cutter capacity Ø12 - Ø35mm
Cutter depth 50mm
twist drill capacity 16mm
No load speed 200-580rpm
Magnetic adhesion 10000N
Stroke 200mm


KPW1000

100 BAR PRESSURE WASHER
Power 1200W
Flow capacity 330L/H
Working pressure 40bar
Max pressure 100bar





KVC15L

DRY / WET VACUUM CLEANER

Power 1200W
Vacuity over 17KPa
Capacity 15L



DRY / WET



KVC20L

DRY / WET VACUUM CLEANER

Power 1200W
Vacuity over 17KPa
Capacity 20L



KAS16N

AGRICULTURAL SPRAYER

Battery voltage 12V / Li-Ion 14Ah
Working pressure 6bar
Tank capacity 16L



KWM300

WELDING MACHINE

Voltage adjusting range 20.8-27.2V
Current adjusting voltage (A) 20-300
Rated input capacity (KVA) 8.2
Duty cycle 60%/100% 139A/180A
Suitable Electrode Size ϕ 1.6-3.2 mm



KWM315VRD

WELDING MACHINE

Voltage adjusting range 20.8-29.2V
Current adjusting voltage (A) 20-315
Rated input capacity (KVA) 11.3
Duty cycle 60%/100% 230A/178A
Suitable Electrode Size ϕ 1.6-4.0 mm



TCT Annular Cutter (Welding Shank)
All Size Available



KWC430 Wood Cutting Blade 4" x 30T
KWC440 Wood Cutting Blade 4" x 40T
KWC530 Wood Cutting Blade 5" x 30T
KWC540 Wood Cutting Blade 5" x 40T



KDB49 Diamond Blade 4" x T9
KDB59 Diamond Blade 5" x T9



KPT Industries Ltd.
GAT NO 320 MOUJE AGAR AP AND
TALUKA SHIROL 416103 DIST
KOLHAPUR MAHARASHTRA INDIA
PH(0231-3528151) E-mail: kpt.ho@kpt.co.in



HEATGUN

KHG2K

Heat Gun without Display

Temperature 2 Stroke
Low deg. C 50-550
High deg. C 50-650
Air Volume
Low 210-250 l/min
High 340-380 l/min
2000W, 0.9kg



DRILL/GRINDER STANDS

KDRST10
Drill Stand

Suitable For Drill Machines having
Holding Collar 43 & 38 mm



BLOWERS

KBL500E

Blower

Manometer Water-600mm,
Air Volume-2.3m³/min,
500W, 1.3kg



KBLW0V

Blower

Manometer Water-550mm,
Air Volume-2.3m³/min,
450W, 1.1kg



KB650

Electric Blower

Manometer Water-750mm,
Air Volume-2.8m³/min.,
Air Pressure-5.5kPa
0-16000rpm, 650W, 1Kg



CAR POLISHER

KCP180

Car Polisher

Pad Size-φ180mm,
600-3000rpm, 1400W, 3.5kg



BENCH GRINDER

KBG6

150mm Bench Grinder

φ150x20x12.7mm,
2950-3550rpm, 300W, 5.7kg



KMS95RT

Magnetic Drill Stand

Suitable for HD1115,
KW8, KW 10 Drills
Magnetic Holding
Performance - 12000N,
Clamping Stud Threads -
1-1/16" x 14UNS
Maximum Stroke
(w/o Drill)-300mm, 35.0kg



PAINT MIXERS

KPM6

Paint Mixer

M12, 1000rpm, 600W, 3.2kg



KPM16

Paint Mixer

M14, 180-380/300-650rpm,
1600W, 6.0kg



PETROL CHAIN SAWS

KPCS58-18

Petrol Chain Saw


58CC, 2.5 KW, 3000 ± 200 rpm,
Chain Bar Size 18 inch, Saw Chain Gauge 0.325 inch.



KPCS58-22

Petrol Chain Saw

58CC, 2.5 KW, 3000 ± 200 rpm,
Chain Bar Size 22 inch, Saw Chain Gauge 0.325 inch.



CONCRETE VIBRATORS

KCV9

35mm Concrete Vibrator

φ35mm, 4100rpm, 850W, Shaft Length-1.5m, 1.9kg



KCV3M

35mm Concrete Vibrator

Ø35, 4300rpm, 1200W, Shaft Length - 3.0m, 2kg



VACUUM CLEANER

KVC30

30L

Dry/Wet Vacuum Cleaner

30L, 1400W, 4.6kg



AGRICULTURAL SPRAYER

KAS16

Agricultural Sprayer

Capacity-16L,
Working Pressure-6bar
12V, 14Ah, 6kg



COMPRESSORS

KCO30L

Compressor

Tank Capacity-30L,
Air Pressure-8bar
1450rpm, 850W, 19.1kg



KCO50L

Compressor

Tank Capacity-50L,
Air Pressure-8bar
2850rpm, 2000W, 25.4kg



BROACH CUTTERS

KBC38N

38mm Broach Cutter

Capacity - Ø12 to Ø38mm,
Cutter Depth-50mm,
Twist Drill - Ø1.5 to Ø13mm,
Spindle Holder - 19mm,
160mm Stroke, 200-750rpm,
1100W, 12KN,
165x85x50, 11.5Kg



KBC38

38mm Broach Cutter

Capacity - Ø12 to Ø38mm,
Cutter Depth - 50mm,
Twist Drill - Ø1.5 to Ø13mm,
Spindle Holder - 19mm,
165mm Stroke, 595rpm,
1200W, 13KN,
160x80x50, 13.5Kg.



KBC40

40mm Broach Cutter

Capacity - Ø12 to Ø40mm,
Cutter Depth - 50mm,
200-580 rpm, 1200W,
12KN, 14Kg.



KBC40

40mm Broach Cutter

Capacity-Ø12 to Ø40mm,
Cutter Depth-50mm,
Twist Drill- Ø1.5 to Ø16mm,
Spindle Holder-19mm,
300mm Stroke, 650rpm,
1000W, 13KN, 17Kg.



KBC42

Magnetic

Drill Stand with

Drilling/Broaching

Machine

Capacity-Ø42mm,
340mm Stroke,
400rpm, 1100W,
11KN, 39Kg



KBC50

Ø50mm

Broach Cutter

Capacity- Ø50mm,
Cutter Depth-60mm,
300mm Stroke,
450rpm, 1100W,
15KN, 30Kg.



KMS-BRC K1

Magnetic Drill Stand &

Drilling Machine

Core Drill Capacity- Ø62mm,
Capacity(MT3)-31max.
315mm Stroke, 270rpm,
1100W, 15KN, 39Kg.



- ▶ RPM indicated is at no load. Parameters in catalogue are for 240 V AC, 50 Hz, 1 phase.
- ▶ The illustrations may show accessories and items of optional equipment which are not part of the standard specification.
- ▶ Colours may differ slightly from those shown, due to the limitations of the printing process.
- ▶ In the interest of continual improvement, KPT reserves the rights to alter design without prior notice.



Double Insulation



Hammer Action



Spindle Lock



Variable Speed



Anti-Vibration Handle



Two Speed



Cordless



Forward/Reverse



Window Feature



Carry Case



Dust Collection



Soft Start



Auto Cut-off Carbon Brush



Torque Adjustment

CENTRAL MARKETING OFFICE

MUMBAI

309, Vasant Vihar Commercial Complex, Dr. C. Gidwani Road, Chembur, Mumbai - 400 074,
Tel.: 022 25213002/ 25202961, E mail: kptss.cmo@kpt.co.in

BRANCH OFFICES

PUNE

Flat No. 201, Runwal Shaarvari, Plot No. 19, S.No. 270/1/5, Opp. Bharat Petrol Pump, Next to Talwalkar Gym,
Baner Road, PUNE 411 045. Contact H.O. Tel.: 0231 2689900, E mail: kptss.pun@kpt.co.in

DELHI

A-11, Naraina Industrial Area, Phase -1, NEW DELHI 110 028. Tel.: 011 4554 8111, E mail: kptss.del@kpt.co.in

AHMEDABAD

"KAYCREST", 303, 41 Parimal Society, Nr. Parimal Garden, Ellisbridge, AHMEDABAD 380 006.
Contact H.O. Tel.: 0231 2689900, E mail: kptss.ahm@kpt.co.in

KOLKATA

1/1, Kimber Street, Ground Floor, Beniapur, Park Circus, KOLKATA 700 017.
Tel.: 033 2290 3157/3158, E mail: kptss.kol@kpt.co.in

HYDERABAD

Ground Floor, Plot No. 111, Nirmala Nilayam, Bhavana Enclave, Amar Jyothi Colony, New Bowenpally,
SECUNDERABAD 500 011. Tel.: 040 42408551, E mail: kptss.hyd@kpt.co.in

Besides the Catalogue Products, there are many other products available on request.
For this, please contact our nearest office or on mobile +91 92258 11539 / 92258 38930

Part No. 744395 / 01/04/2023

KPT Dealer



Manufactured & Marketed By:

KPT Industries Ltd.

Gat No. 320, Mouje Agar,
A/P & Taluka: Shirol 416 103,
Dist. Kolhapur, Maharashtra, INDIA.

Tel. : 0231 - 2689900

Fax : 0231 - 2689946

E mail : kpt.ho@kpt.co.in

CIN : L29130MH1976PLC019147

KPT POWER TOOLS

PRODUCT RANGE

KPT
www.kpt.co.in



GENERAL DUTY DRILLS

GD25 K2

13mm General Duty Drill
Al-ø16mm, W-ø25mm, S-ø13mm,
775rpm, 475W, 3.5kg

GD25N

13mm Pistol Drill
Al-ø16mm, W-ø25mm, S-ø13mm,
850rpm, 850W, 3.4kg

HEAVY DUTY DRILLS

HD16 K2

16mm Heavy Duty Drill
Al-ø20mm,
W-ø40mm, S-ø16mm,
800rpm, 650W, 3.7kg

HD16N

16mm Pistol Drill
Al-ø20mm,
W-ø40mm, S-ø16mm,
850rpm, 850W, 3.6kg

HD1115MT K4
23mm Heavy Duty Drill
ø23mm, 500rpm,
1100W, 8.8kg

KW10 K3
31mm Heavy Duty Drill
ø31mm, 350rpm, 1100W, 9.3kg

ANGLE GRINDERS

P57-91 K5
180mm Angle Grinder
M14, Ø180mm, 8500rpm,
2000W, 6.9kg

P57-91/24
180mm Angle Grinder
M14, Ø180mm,
8500rpm, 2400W, 7.3kg

P59-91 K5
230mm Angle Grinder
M14, Ø230mm, 6600rpm,
2000W, 7.1kg

STRAIGHT GRINDERS

HD1290 K3
100mm Straight Grinder
Ø100mm, 5800rpm, 1100W, 6.7kg

P77-91 LH K1
150mm Super Duty
Straight Grinder
Ø150mm, 6500rpm,
1800W, 7.6kg

BLOWER

KWB350 K1
Blower
Manometer Water-550mm,
Air Volume-1.7m³/min, 350W, 4.6kg

SANDER / POLISHER

HD1285 K4
180mm Heavy Duty
Sander / Polisher
M14, Ø180mm,
5200rpm, 1100W, 6.6kg

FLEXIBLE SHAFT GRINDER / SIREN

KF2 K1
Flexible Shaft
Grinder 2 Speed
Shaft Length-1360mm,
Collet-Ø6mm,
1st Gear (Milling) -1200rpm,
2nd Gear (Grinding) -12000 rpm,
370W, 7.0kg

KIS K6
Industrial siren
0-2Km, 370W, 1.7kg

SCREW DRIVER / IMPACT WRENCH

KSD10
10mm Electric Screw Driver
S-ø10mm, W-ø25mm,
350W, 0-3500rpm, 1.0kg

KIW30C
Impact Wrench
Tool Holder 1/2", Torque 300Nm,
2600rpm, 450W, 2.2kg

IMPACT DRILL KIT

KDK13HN
13mm Impact Drill Kit
0-3000rpm, 0-48000bpm,
500W, 2.0kg

CORDLESS DRILLS

KDD12V
Cordless Drill
Ø10, 12V,
0-350/0-1300rpm,
1.3Ah Li-Ion, 0.9kg

KDD18V
Cordless Drill
Ø10, 18V,
0-350/0-1350 rpm,
1.5Ah Li-ion, 1kg

PLAIN DRILLS

KPD6
6mm Plain Drill
Al-ø10mm, W-ø15mm,
S-ø6mm, 2600rpm,
350W, 1.25kg

KPD6RE
6mm Plain Drill
Al-ø10mm, W-ø15mm,
S-ø6mm, 0-3500rpm,
350W, 1.1kg

KPD10RE
10mm Plain Drill
S-ø10mm, W-ø20mm, Al-ø13mm,
0-3000rpm, 600W, 1.3kg

IMPACT DRILLS

KID10
10mm Impact Drill
C-ø10mm, W-ø19mm, S-ø8mm,
0-2800rpm, 25700bpm, 500W, 1.7kg

KID13
13mm Impact Drill
C-ø13mm, W-ø25mm,
S-ø10mm, 0-2800rpm,
25700bpm, 600W, 1.8kg

KPT13H 1800
13mm Impact Drill
1800rpm, 600W, 1.6kg

KID13MB
13mm Impact Drill
C-ø13mm, W-ø25mm,
S-ø10mm, 0-1800rpm,
600W, 2.2kg

ROTARY HAMMERS

KPTRH22
22mm Rotary Hammer
0-900rpm, 2.2J,
800W, 2.4kg

KPTRH22N
22mm Rotary Hammer
0-1700rpm, 0-4800bpm, 2.2J,
900W, 2.8kg

KPTRH26
26mm Rotary Hammer
0-1300rpm, 2.6J,
950W, 2.9kg

DEMOLITION HAMMERS

KPT5DHN
5Kg Demolition Hammer
3700bpm, Tool Holder 17 mm Hex.,
900W, 6.3kg

KPT11DHN
11Kg Demolition Hammer
1000-2250bpm, 6-25J,
Tool Holder-SDS max., 1500W, 11.4kg

KPT16DHN
16Kg Demolition Hammer
1800bpm, 42J, 1400W, 14kg

MINI ANGLE GRINDERS

KAG6-100
100mm Angle Grinder
M10, Ø100mm,
11000rpm, 710W, 1.4kg

KAG750-100
100mm Angle Grinder
M10, Ø100mm, 11000rpm,
750W, 1.9kg

KAG8-100
100mm Angle Grinder
M10, Ø100mm, 11000rpm,
800W, 1.8kg

KAG900-4FRT
100mm Angle Grinder
M10, Ø100mm, 11000rpm
900W, 1.9kg

KAG10-4
100mm Angle Grinder
M10, Ø100mm, 10000rpm,
1000W, 1.8kg
KAG10-5
125mm Angle Grinder
M14, Ø125mm, 10000rpm, 1000W, 1.9kg

P55-02
125mm Angle Grinder
M14, Ø125mm, 10700rpm,
950W, 2.3kg
KPT11-125
125mm Angle Grinder
M14, Ø125mm, 10700rpm,
1100W, 2.4kg

KAG14-5
125mm Angle Grinder
M14, Ø125mm, 11000rpm,
1400W, 3.2kg

ANGLE GRINDERS

KAG24-7
180mm Angle Grinder
M14, Ø180mm,
8500rpm,
2400W, 5.5kg

KAG24-9
230mm Angle Grinder
M14, Ø230mm,
6500rpm, 2400W,
5.6kg

KAG30-7
180mm
Angle Grinder
M14, Ø180mm,
8000rpm, 3000W,
5.5kg
KAG30-9
230mm
Angle Grinder
M14, Ø230mm,
6000rpm, 3000W, 5.7kg

CUT-OFF-SAWS

KCS180
180mm Cut-Off Saw
ø180mm, 8000rpm,
1280W, 8.0kg

KPTCS355
355mm Cut-off-Saw
ø355mm, 3900rpm,
2300W, 17.1kg

MARBLE CUTTERS

KM4SBN
110mm Marble Cutter
ø110mm, 11000rpm,
1200W, 2.8kg

KC4
110mm Marble Cutter
ø110mm, 13000rpm,
1280W, 2.3kg

KK4
110mm Marble Cutter
Ø110, Max. Cutting Depth 34mm,
13000rpm, 1100W, 2.7kg

KPTTC5
125mm Marble Cutter
ø125mm, 13000rpm,
1400W, 3.1kg

KPTTC5FB
125mm Marble Cutter
Ø125mm,
Max. Cutting Depth-34mm,
13000rpm, 1400W, 3kg

CIRCULAR SAW

KCS190N
185mm Circular Saw
ø185mm, Cutting Depth-64mm,
5000rpm, 1400W, 4.5kg

DIE GRINDERS

KDG6N
6mm Die Grinder
Collet-ø6mm, 25000rpm,
500W, 1.8kg

KDG6S
6mm Die Grinder
Collet-ø6mm, 27000rpm,
350W, 1.2kg

STRAIGHT GRINDER

KSG4
100mm Straight Grinder
ø100mm, 5300rpm,
1250W, 3.9kg

PLANERS

KPL82-1
Planer
Cutter Width-82mm,
Cutting Depth-1mm,
15000rpm, 570W, 2.5kg

KPL82MB
Planer
Cutting Width- 82mm,
Cutting Depth - 1mm
15000rpm, 650W, 2.6kg

SANDER / POLISHER

KP10
Polisher
1400rpm, 600W, 1.8kg

KOSN
Orbital Sander
Sanding Pad
Size -110 x 210mm,
7200rpm, 200W, 4.2kg

KOS180
Orbital Sander
Pad Size-92 x 187mm,
12000rpm, 180W, 1.5kg

KROS125
Random Orbital Sander
Pad Size-ø125mm,
Dia.of Orbit-1.9mm,
6000-13000rpm, 450W, 2.1kg

JIG SAW

KJS650
Jig Saw Light Duty
S-ø6mm, W-ø65mm,
800-3000rpm, 650W, 1.8kg

ROUTER / TRIMMER

KRT12
Router
22000rpm, 1200W,
4.2kg

KTR6
6/8.35mm Trimmer
Trim Dia. Ø6/6.35, 30000rpm
600W, 1.4kg

PRESSURE WASHERS

KPW1400
130 Bar
Pressure Washer
130bar,
Working Pressure-90bar
Flow Capacity-390Ltr./Hr.,
1600W, 8.4kg

KPW1400N
140 Bar
Pressure Washer
140bar,
Working Pressure-90bar,
Flow Capacity-390Ltr./Hr.,
1800W, 8.5kg